

EAST - [Untitled1:1]

File View Edit Tools Window Help

Drafts
Pending
Active

L1: (45851) (halftone or grayscale or gradation)
L2: (2971) 1 and (dither or dithering)
L3: (493) 2 and (defect or flicker or flickering or disturbance)
L4: (2) 3 and (color adj reduction)

Search:

DBs: ☐ Plurals

Default operator: ☒ Highlight all hit terms initially

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	45851	(halftone or grayscale or gradation or (gray adj scale))	USPAT; US-PGPUE
2	BRS	L2	2971	1 and (dither or dithering)	USPAT; US-PGPUE
3	BRS	L3	493	2 and (defect or flicker or flickering or disturbance)	USPAT; US-PGPUE
4	BRS	L4	2	3 and (color adj reduction)	USPAT; US-PGPUE
5	BRS	L6	2	5 and (color adj reduction)	USPAT; US-PGPUE
6	BRS	L7	598	5 not 6	USPAT; US-PGPUE
7	BRS	L8	504	7 and color	USPAT; US-PGPUE
8	BRS	L5	600	2 and (defect or flicker or flickering or disturbance or abrupt) <i>looked at</i>	USPAT; US-PGPUE
9	BRS	L9	23	("5978554" or "6008794" or "6064359" or "6069609" or "6084560" or "6201612" or "6288698" or "6362834" or "6496194" or "6603573" or "6452579" or "6417864" or "6297788"). repn, rlpn, bi, uref, oref.	USPAT
10	BRS	L10	12	("5978554" or "6008794" or "6064359" or "6069609" or "6084560" or "6201612" or "6288698" or "6362834" or "6496194" or "6603573" or "6452579" or "6417864" or "6297788"). pn.	USPAT
11	BRS	L11	21	9 not 10	USPAT

Hits Details HTML

Start Microsoft Office Shortcut Bar EAST - [Untitled1:1]

09/966,267

Paul Bell

10/31/2003

EAST - [Untitled1:1]					
File View Edit Tools Window Help					
BRS form IS&R form Image Text HTML					
	Type	L #	Hits	Search Text	DBs
1	BRS	L1	0	watanable-yoshio\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	21	watanable\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L3	26866	tomita\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L4	22957	kawakami\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L5	156507	watanabe\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L6	5	3 and 4 and 5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	L7	12282	murai\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	L8	25737	moriya\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	L9	53768	takeuchi\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	L10	2	7 and 8 and 9	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	L11	91521	7 or 8 or 9	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	BRS	L12	210063	seiko\$.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	BRS	L13	2003	11 and 12	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	L14	1	13 and grayscale	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	L15	15	13 and lcd	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

09/966,267

Paul Bell

10/31/2003

EAST - [Untitled1:1]							
File View Edit Tools Window Help							
Drafts							
BRS form IS&R form Image Text HTML							
	U	Document ID	Issue Date	Pages	Title	Current OR	Current XRef
1	<input checked="" type="checkbox"/>	US 6417864 B1	20020709	28	Light modulating devices	345/596	345/598; 345/599
2	<input checked="" type="checkbox"/>	US 6297788 B1	20011002	70	Half tone display method of display panel	345/63	345/589; 345/67
3	<input type="checkbox"/>	US 6603573 B1	20030805	13	Constrained digital halftoning	358/1.9	358/3.03; 358/3.06; 358/518; 358/534
4	<input checked="" type="checkbox"/>	US 6496194 B1	20021217	64	Halftone display method and display apparatus for reducing halftone disturbances occurring in	345/596	345/63
5	<input checked="" type="checkbox"/>	US 6362834 B1	20020326	20	Flat-panel display controller with improved dithering and frame rate control	345/690	345/596; 345/691
6	<input checked="" type="checkbox"/>	US 6288698 B1	20010911	13	Apparatus and method for gray-scale and brightness display control	345/87	345/204; 345/589; 348/714; 348/715; 348/716
7	<input checked="" type="checkbox"/>	US 6201612 B1	20010313	16	Image processing method and apparatus employing block error diffusion	358/1.9	358/462; 358/465; 358/466; 382/176; 382/177
8	<input checked="" type="checkbox"/>	US 6084560 A	20000704	19	Image display for dither halftoning	345/89	345/596; 345/599
9	<input checked="" type="checkbox"/>	US 6069609 A	20000530	54	Image processor using both dither and error diffusion to produce halftone images with less flicker and	345/596	345/616; 345/690; 358/3.03; 382/252
10	<input checked="" type="checkbox"/>	US 6064359 A	20000516	25	Frame rate modulation for liquid crystal display (LCD)	345/89	345/692
11	<input checked="" type="checkbox"/>	US 6008794 A	19991228	19	Flat-panel display controller with improved dithering and frame rate control	345/598	345/572; 345/694
12	<input checked="" type="checkbox"/>	US 5978554 A	19991102	7	Image processing method and system with selection of threshold matrix, from group including matrix with	358/1.9	382/237; 382/270